



Vesta 5" Plank in White and Tourmaline | TruCedar® 6" Board & Batten in White Vesta 5" Plank as Porch Ceiling in Sand Dollar | Fascia, soffit and rainware in Black

THE HOME'S FIRST CHOICE FOR ARCHITECTURAL STEEL CLADDING

Designed to create an iconic building aesthetic that will look the same as the first day it was installed, Vesta Steel Siding® is competitive in every way to the classic and upkeep-heavy, wood shiplap. Long and narrow panels seams create a subtle reveal for a maintenance free solution that's an investment you can count on.

ALMOST EVERY RENOWNED CITY HAS ITS OWN LANDMARK STEEL BUILDING, WHICH IS THEIR ICONIC IMAGE. IT IS A KEY COMPONENT THAT MAKES THE CITY DIFFERENT, DEMONSTRATING STRENGTH AND REPRESENTING ITS LONGEVITY.








San Antonio, Texas | Vesta 5" Plank in Aged Walnut

ENDURING COLOR, BORN TO LAST

Love rich colors? Deep, rich and realistic colors last thanks to the Vesta Steel Siding Kynar® PVDF Fluoropolymer coating. Kynar is superior at effectively reflecting the hot, harmful rays of the sun to prevent fading and chalking plus forms a thick film barrier that provides resistance against wear and chips. At Quality Edge® we've designed an investment you can count on with a Lifetime Limited Warranty.

THE ARCHITECT'S FIRST CHOICE

Kynar paint resin delivers long-term durability that is unparalleled in the industry. Originally high-performance finishes for architectural metal, Kynar PVDF resin-based metal coatings now provide protection against weather, aging and pollution on commercial, institutional and residential buildings around the globe.



"ARCHITECTURE IS NOT ABOUT SPACE BUT ABOUT TIME."

-VITO ACCONFI



"BUT IF YOU INVEST IN BEAUTY,
IT WILL REMAIN WITH YOU
ALL THE DAYS OF YOUR LIFE."

-FRANK LLOYD WRIGHT



Grand Haven, Michigan | Vesta 5" Plank in Driftwood and Autumn Thistle

THE LOOK OF WOOD, WITHOUT THE MAINTENANCE

Keep costly repairs out of sight. Vesta Steel Siding won't melt in the sun or crack in the cold and resist moisture problems that can lead to mold, mildew and wood rot. Compared with traditional siding, steel siding is durable, and doesn't need recaulking or repainting over time. This means you can spend years and years loving where you live without the worry of maintenance.

"YOU'LL NEVER NEED TO REPLACE IT, REPAINT IT OR INVEST IN COSTLY MAINTENANCE."

-THIS OLD HOUSE





West Olive, Michigan | Vesta 5" Plank in Coal

THE PERFORMANCE OF STEEL AGAINST NATURE

Don't worry about the elements. With an innovative steel core and dependable shiplap configuration, Vesta provides unmatched impact resistance and doesn't wick water and rot overtime like other siding materials. Plus, it holds up to exposure from wind, fire, hail—anything Mother Nature throws at it.

"THIS MODERN STEEL ADAPTATION OF TRADITIONAL WOOD SHIPLAP HAS A PERMANENCE WE COULDN'T FIND WITH OTHER PRODUCTS."

-FAMILY HANDYMAN MAGAZINE




Vesta Steel Siding was engineered to provide triple-threat weather defense. Long and narrow stacking seams form a flat, weather-resistant surface. Built-in breathing ducts promote air circulation between joint seams and behind the building surface.

With its Class A fire rating, Vesta is noncombustible and fire-resistant. Because of rigorous testing, you can feel safe and at ease knowing your home is protected.




ANTICORROSIVE CARBONTECH90™ ZINC BARRIER

a galvanization process that applies an anticorrosive zinc barrier to an already-popular siding alternative that's been around for almost 100 years.



A Long History of Protection

The term galvanization was first used to describe the process of applying a coating of zinc to a steel surface. This technique has the long history of providing corrosion protection, while simultaneously being developed in France as well as in England in 1837. The method employed then was to manually dip metal sheets into a hot bath of molten zinc. Within two years, galvanized metal became popular for roofing applications in Europe and the U.S. for their resistance against corrosion.



PERSONAL EXPRESSION IN DESIGN

Much like the evolution of fashion, exteriors are increasingly becoming less about what's trendy and more about personal expression. A key example of this is minimalism and maximalism in design today. As the line blurs between these two approaches, people are feeling empowered to break the rules, mix things up and discover what they love, including combining warm woodgrains with solid colors to blend style lines and provide contrast.

Vesta 5" Plank in 482 Gilded Grain [GILD]

TIMELESS CHOICES, ENDLESS POSSIBILITIES


Designed to echo the veins and tones of natural wood, six unique and intricate hand-drawn panels make up every Vesta Steel Siding woodgrain color. Panels are distinct enough to create an impactful, signature wood look that is as beautiful up close as it is far away. Pair Vesta woodgrains with solid colors to naturally accentuate a range of diverse styles.

"EXTERIOR WALLS OF YOUR HOME IS A GREAT
WAY TO BOOST STYLE, AND IT'S SAFE TO SAY THAT
SIDING IS HAVING A MOMENT."

-HOUZZ

Patent-Pending HD3 Woodgrain Colors

A patent-pending, high definition, tri-color paint application that captures light, medium and dark woodgrain details, creating a multidimensional and naturally accurate look that's engineered to maintain its color for a lifetime.



Intuitive Solids

Vesta Steel Siding Kynar coating is so effective at protection, you can choose among the boldest dark solid and purest bright neutral colors. The palette was designed to be disciplined and intelligent for creating timeless designs. The numerous yet simple options of color pairings create style and combine with natural woodgrains to reflect the natural surroundings.





484 Dark Espresso [DRKE]



485 Aged Walnut [AWAL]



480 Autumn Thistle [ATHS]



482 Gilded Grain [GILD]

Profile: 5" Plank Panel Length: 8 ft Material: Steel



481 Driftwood [DFWD]



483 Sand Dollar [SNDR]

Profile: 5" Plank Panel Length: 8 ft Material: Steel





463 Coal [COAL]



463 Coal [COAL]

Paint Finish: Kynar Solid Matte Finish




462 Silver Lining [SVRL]

Profile: 5" Plank Panel Length: 12 ft Material: Steel

Paint Finish: Kynar Solid Matte Finish


Application: Vertical, Horizontal or Porch Ceiling



465 Sea Glass [SEAG]


Profile: 5" Plank Panel Length: 12 ft Material: Steel

Paint Finish: Kynar Solid Matte Finish




414 Ironstone [IRNS]

Paint Finish: Kynar Solid Matte Finish



414 Ironstone [IRNS] 5" Plank Vertical Siding and 481 Driftwood [DFWD] 5" Plank Soffit



466 Tourmaline [TOUR]

Profile: 5" Plank Panel Length: 12 ft Material: Steel

Paint Finish: Kynar Solid Matte Finish

Application: Vertical, Horizontal or Porch Ceiling




503 Eggshell [EGG]

Profile: 5" Plank Panel Length: 12 ft Material: Steel

Paint Finish: Kynar Solid Matte Finish




280 White [W] 5" Plank Horizontal Siding and 280 White [W] 5" Plank Porch Ceiling



280 White [W]

Paint Finish: Kynar Solid Matte Finish



470 Midnight Blue [MNBLU]

Profile: 5" Plank Panel Length: 12 ft Material: Steel

Paint Finish: Kynar Solid Matte Finish


Application: Vertical, Horizontal or Porch Ceiling



467 Evening Shade [EVES]

Profile: 5" Plank Panel Length: 12 ft Material: Steel

Paint Finish: Kynar Solid Matte Finish



468 Fawn [FAWN]

Profile: 5" Plank Panel Length: 12 ft Material: Steel

Paint Finish: Kynar Solid Matte Finish

Application: Vertical, Horizontal or Porch Ceiling



469 Fresh Canvas [FCAN]

Profile: 5" Plank Panel Length: 12 ft Material: Steel


Paint Finish: Kynar Solid Matte Finish





VESTA STEEL SIDING®


PATENTS

J.S. Patents: 10,508,455 & 10,760,282 J.K. Patent: 2,588,713










PATENTED DESIGN SOLUTION

Vesta Steel Siding panels easily stack to provide a consistent reveal whether installed vertically or horizontally. Interlocking and stacking panels are specifically contoured to provide swift and gap-free assembly. Panels form element-tested channels that divert moisture out and away from the surface seams while breathing ducts promote air circulation between joint seams and behind the building surface.

FIGURE DESCRIPTIONS:


- FIGURE 1: A partial rear view of a siding panel according to one embodiment of the present invention.
- FIGURE 2: A bottom view of the siding panel show in Figure 1.
- FIGURE 3: A cross-sectional view of the siding panel show in Figure 1.
- FIGURE 4: An enlarged cross-sectional view of the siding panel shown in Figure 1 taken along line IV as shown in Figure 3.
- FIGURE 5: A rear view of siding panel according to another embodiment of the present invention.
- FIGURE 6: A bottom view of the siding panel shown in Figure 5.
- FIGURE 7: A cross-sectional view of the siding panel shown in Figure 5.
- FIGURE 8: An enlarged cross-sectional view of the siding panel shown in Figure 5 taken along the line VII as shown in Figure 7.
- $\hbox{FIGURE 9: A front perspective view of the siding panel shown in Figure 1, installed on the side of a building. } \\$
- FIGURE 10: A front perspective view of the siding panel shown in Figure 1.
- FIGURE 11: Shows a number of the siding panels of the embodiment shown in Figure 5 connected together.
- FIGURE 12: A partial enlarged cross-sectional view of two siding panels of Figure 5.



ARCHITECTURAL ACCESSORIES

Quality Edge® has durable, low-maintenance siding and accessories that come in a variety of complementary designs for the Vesta Steel Siding collection. Form, feel and functionality should all come together, from brick ledge flashing to specialized soffit for improving home ventilation, the right accessories help deliver a design.





VESTA | **PRODUCT DETAILS**

PROFILE

5" Plank, 8 ft Length (Woodgrain) 5" Plank, 12 ft Length (Solid)

MATERIALS

Steel

THICKNESS

0.020" (Panels) 0.016" (Accessories)

APPLICATION

Horizontal Vertical

Vertical Porch Ceiling & Soffit

U.S. Patent Nos.: 10,508,455; 10,760,282 U.K. Patent No.: 2,588,713 Canadian Patent Pending

SOLID AND WOODGRAIN COLORS

The Vesta color palette was designed to bring style to the exterior of a home. Each of the woodgrain colors consist of six unique grain configurations designed to resemble the natural variation of stained woods that results when several features interact, including irregular grain, rays and color deposits on the surface of wood.

COATING

Kynar 500° (70% PVDF) – Woodgrains Kynar° (50% PVDF) – Solids CarbonTech90™ – Woodgrains & Solids

U.S. COPYRIGHT

© Sand Dollar Woodgrain Artwork VAu1-378-183 © Driftwood Woodgrain Artwork VAu1-378-232

© Autumn Thistle Woodgrain Artwork VAu1-378-233

© Gilded Grain Woodgrain Artwork VAu1-382-425

TECHNICAL DATA

Vesta steel siding utilizes one of the strongest, most versatile and recyclable materials on our planet, reducing your carbon footprint and safeguarding against costly repairs.

BUILDING CODE RATINGS

R703.3 Wall Covering Nominal Thickness and attachments. Source: IRC 2018

With zero off-gassing or maintenance concerns, Vesta is an environmentally friendly siding solution.

MATERIAL/PAINT & COATINGS DATA

100% Recyclable VOC-free coatings Lead free finishes

With rigorous testing, you can feel safe and at ease, knowing the home is protected.

FLAME SPREAD AND SMOKE DEVELOPED RATINGS

ASTM E84-18b Class A Rating

Quality Edge is committed to leading the industry in terms of innovation and airflow. Vesta panels have unique, built-in breathing ducts that promote air circulation between joint seams and behind the building surface.

TECHNICAL SUPPORT

Complete technical information and literature is available at: www.QualityEdge.com/Resources

WARRANTY

Lifetime Limited Warranty
Complete warranty details is available at
www.QualityEdge.com/Warranties

THERE IS NO COMPARISON We go to great lengths to ensure that form, feel and functionality all come together. FIBER WOOD STEEL WOOD VINYL BRICK CEMENT COMPOSITE FADE RESISTANT Resist fading or chalk when ++++++ +++ ++ ++ exposed to UV rays LOW MAINTENANCE INVESTMENT No replacing, painting, recaulking or tuckpointing over a lifetime ++++ ++ ++ ++++++

DURABILITY & FIRE RESISTANT Resists denting, chipping, rotting and fire/smoke spread

SOLID & WOOD COLOR SELECTIONS

SUSTAINABILITY Recyclablility and lifespan of product

INITIAL COST First time initial cost

including installation

Realistic woodgrains and variety of solid colors

SOURCES:

• The National Institute for Occupational Safety and Health, 18 June 2015. Web. 4 Dec. 2015.

• "NIOSH Research Finds Practical Solution to Controlling Hazardous Dust When Cutting Fiber-Cement Siding." Centers for Disease Control and Prevention.

++++

++++

+ + +

+++

+++

+ + +

++

+ + +

+++

+++

++

++

++

++

++

++

++

++++


+++


+++


VESTA TRUCEDAR®











2


SINGLE 6" DUTCH LAP




SINGLE 8"



6" BOARD & BATTEN



10" BOARD & BATTEN



SHAKE SIDEWALL


PROFILE	5" PLANK	5" PLANK	5" VENTED PLANK	DOUBLE 4"	SINGLE 6"
	Solid	HD3 Woodgrain	HD3 Woodgrain	Solid & HD2 Woodgrain	Solid & HD2 Woodgrain
485 Aged Walnut		•	•		
480 Autumn Thistle		•	•		
484 Dark Espresso		•	•		
481 Driftwood		•	•		
482 Gilded Grain		•	•		
483 Sand Dollar		•	•		
463 Coal	•				
503 Eggshell	•			•	•
467 Evening Shade	•			•	•
468 Fawn	•			•	•
469 Fresh Canvas	•			•	•
414 Ironstone	•			•	•
470 Midnight Blue	•			•	•
465 Sea Glass	•				
462 Silver Lining	•				
466 Tourmaline	•				
280 White	•			•	•
109 Cedar				•	•
M16 Cider Mill				•	•
M17 English Saddle				•	•
M15 Napa Vine				•	•
M18 Mountain Laurel				•	•
416 Spruce				•	•
106 Timber Ash				•	•
108 Weathered Wood				•	•
401 Bennington Beige				•	•
411 Cottage Red				•	•
405 Foothill Blue				•	•
415 Gray Dusk				•	•
819 Herringbone				•	•
805 Pewter				•	•
509 Norwood				•	•
307 Ripe Olive				•	•
425 Statuary Bronze				•	•
410 Thatch				•	

68

Solid & HD2 Woodgrain	Solid & HD2 Woodgrain	Solid & HD2 Woodgrain	Solid & HD2 Woodgrain	HD3 Woodgrain
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	•
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	•
•	•	•	•	•
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	

69







 ${\it Quality Edge.com}$

550 3 Mile Rd. NW Suite E Grand Rapids, MI 49544 888.784.0878