

# GERDA®



## BICYCLE LOCKS

[www.gerda.pl](http://www.gerda.pl)

Gerda® Class



# Contra 900 5P

## Characteristics

- Bicycle chain lock – classic solution for securing bicycles
- 5 mm round steel links
- Textile cover protects the bicycle from scratches
- Lightweight and secure chain
- Convenient double-sided key easy to use even in the dark
- Snap lock – with removed key
- Type of key: P

## Intended Use

- Securing inexpensive bicycles, prams and other
- Securing the bicycle for a short time in a safe place

## Notes

- It is recommended to secure the bicycle through the frame and rear wheel
- It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

- Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0090005.MXP2XP	Contra 900 5P	5902203365076	90 cm	5 mm	colour mix	10 / 20



Gerda® Class



# Contra 900 6V

<b>Characteristics</b>	<p>Bicycle chain lock – classic solution for securing bicycles 6 mm round steel links</p> <p>Textile cover protects the bicycle from scratches</p> <p>Keyhole plug protects against contamination of the lock</p> <p>Convenient double-sided key easy to use even in the dark</p> <p>Key removable from both closed and open lock</p> <p>Type of key: V</p>
------------------------	---

<b>Intended Use</b>	<p>Securing inexpensive bicycles</p> <p>Securing the bicycle for a short time in a safe place</p>
---------------------	---

<b>Notes</b>	<p>It is recommended to secure the bicycle through the frame and rear wheel</p> <p>It is best to secure the bicycle to a post, railing or other fixed architectural element</p>
--------------	---

<b>Transport</b>	Wrapped on seatpost, handlebars or transported in pannier
------------------	---

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0090006.06V2XP	Contra 900 6V	5902203333563	90 cm	6 mm	black	10 / 20

Gerda® Class



# Contra 900 8V

## Characteristics

Bicycle chain lock – classic solution for securing bicycles 8 mm round steel links  
 Textile cover protects the bicycle from scratches  
 Automatic keyhole plug protects against contamination of the lock  
 Convenient double-sided key easy to use even in the dark  
 Key removable only from closed lock  
 Type of key: V

## Intended Use

Securing medium-priced bicycles and scooters  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0090008.06V2YP	Contra 900 8V	5902203333570	90 cm	8 mm	black	6



Gerda® Class



# Contra 900 8W

## Characteristics

Bicycle chain lock – classic solution for securing bicycles 8 mm round steel links  
 Textile cover protects the bicycle from scratches  
 Automatic keyhole plug protects against contamination of the lock  
 Convenient double-sided key easy to use even in the dark  
 Key removable from both closed and open lock  
 Type of key: W

## Intended Use

Securing medium-priced bicycles and scooters  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0090008.06W2ZP	Contra 900 8W	5902203333594	90 cm	8 mm	black	6

Gerda® Class



# Contra 900 10V

## Characteristics

Bicycle chain lock – classic solution for securing bicycles 10 mm round steel links  
 Textile cover protects the bicycle from scratches  
 Automatic keyhole plug protects against contamination of the lock  
 Convenient double-sided key easy to use even in the dark  
 Key removable only from closed lock  
 Type of key: V

## Intended Use

Securing more expensive bicycles and scooters  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0090010.06V2YP	Contra 900 10V	5902203333587	90 cm	10 mm	black	6



Gerda® Class



# Contra 900 10W

## Characteristics

Bicycle chain lock – classic solution for securing bicycles 10 mm round steel links  
 Textile cover protects the bicycle from scratches  
 Automatic keyhole plug protects against contamination of the lock  
 Convenient double-sided key easy to use even in the dark  
 Key removable from both closed and open lock  
 Type of key: W

## Intended Use

Securing more expensive bicycles and scooters  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0090010.06WZZP	Contra 900 10W	5902203333600	90 cm	10 mm	black	6

Gerda® Class



# Contra 900 8x8L

## Characteristics

Bicycle chain lock – classic solution for securing bicycles 8 mm square steel links  
 Textile cover protects the bicycle from scratches  
 Square chain links provide greater security with less weight  
 Convenient double-sided key easy to use even in the dark  
 Locking with key  
 Type of key: L

## Intended Use

Securing medium-priced bicycles  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN00900K8.06L2ZP	Contra 900 8x8L	59002203365168	90 cm	8 mm	black	6



Gerda® Class



# Contra 900 6V NE

<b>Characteristics</b>	<p>Bicycle chain lock – classic solution for securing bicycles 6 mm round steel links</p> <p>Textile cover protects the bicycle from scratches</p> <p>Lightweight and secure chain</p> <p>Convenient double-sided key easy to use even in the dark</p> <p>Automatic keyhole plug protects against contamination of the lock</p> <p>Key removable only from closed lock</p> <p>Type of key: V</p>
------------------------	--

<b>Intended Use</b>	<p>Securing inexpensive bicycles</p> <p>Securing the bicycle for a short time in a safe place</p>
---------------------	---

<b>Notes</b>	<p>It is recommended to secure the bicycle through the frame and rear wheel</p> <p>It is best to secure the bicycle to a post, railing or other fixed architectural element</p>
--------------	---

<b>Transport</b>	<p>Wrapped on seatpost, handlebars or transported in pannier</p>
------------------	--

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0090006.06V2UP	Contra 900 6V NE	5902203365205	90 cm	6 mm	black	12

Gerda® Class



# Contra 1200 6V

## Characteristics

Bicycle chain lock – classic solution for securing bicycles 6 mm round steel links  
 Textile cover protects the bicycle from scratches  
 Keyhole plug protects against contamination of the lock  
 Convenient double-sided key easy to use even in the dark  
 Key removable from both closed and open lock  
 Type of key: V

## Intended Use

Securing inexpensive bicycles  
 Securing the bicycle for a short time in a safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0120006.06V2XP	Contra 1200 6V	5902203365182	120 cm	6 mm	black	12



Gerda® Class



# Contra 1200 8V

## Characteristics

Bicycle chain lock – classic solution for securing bicycles 8 mm round steel links  
 Textile cover protects the bicycle from scratches  
 Automatic keyhole plug protects against contamination of the lock Convenient  
 double-sided key easy to use even in the dark  
 Key removable only from closed lock  
 Type of key: V

## Intended Use

Securing medium-priced bicycles and scooters  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0120008.06V2XP	Contra 1200 8V	5902203365199	120 cm	8 mm	black	6

Gerda® Class



# Contra Line 900 6V

**Characteristics**      Bicycle chain lock – classic solution for securing bicycles 6 mm round steel links  
 Cover made of flexible and durable material protects the bicycle from scratches  
 Lightweight and secure chain  
 Convenient double-sided key easy to use even in the dark  
 Snap lock – with removed key  
 Automatic keyhole plug protects against contamination of the lock  
 Type of key: V

**Intended Use**      Securing inexpensive bicycles, prams and other  
 Securing the bicycle for a short time in a safe place

**Notes**              It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

**Transport**              Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0090006.06V2YP	Contra Line 900 6V	5902203365090	90 cm	6 mm	black	12



# Baby Contra Combo 900 3,5C

## Characteristics

Bicycle combination lock for children – perfect for first bicycle lock  
 3.5 mm round steel links  
 Textile cover protects the bicycle from scratches  
 Lockable with a 4-digit code that can be set individually  
 Convenient combination lock, allowing you not to carry a key

## Intended Use

Securing inexpensive bicycles, prams and other  
 Securing the bicycle for a short time in a safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCK0090003.MXCOXP	C. Combo 900 3,5C	5902203365069	90 cm	3,5 mm	colour mix	10 / 20

Gerda® Class



# Contra Combo 900 8X8C

## Characteristics

- Bicycle combination lock – safety and convenience of use
- 8 mm square steel links
- Textile cover protects the bicycle from scratches
- Lockable with a 5-digit code that can be set individually
- Convenient combination lock, allowing you not to carry a key

## Intended Use

- Securing medium-priced bicycles
- Securing the vehicle for a longer time in a reasonably safe place

## Notes

- It is recommended to secure the bicycle through the frame and rear wheel
- It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

- Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCK00900K8.06C0XP	C. Combo 900 8X8C	5902203365175	90 cm	8 mm	black	10



Gerda® Class



# Contra Combo 900 6C

## Characteristics

Bicycle combination lock – safety and convenience of use  
6 mm round steel links

Textile cover protects the bicycle from scratches

Lockable with a 5-digit code that can be set individually

Convenient combination lock, allowing you not to carry a key

## Intended Use

Securing inexpensive bicycles, prams and other

Securing the bicycle for a short time in a safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel

It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCK0090006.06C0XP	C. Combo 900 6C	5902203365083	90 cm	6 mm	black	12

Gerda® Class



# Flex 1000 8K

## Characteristics

Bicycle loop lock – perfect for short trips 8 mm braided cable  
PVC cover protects bicycle from scratches  
Flexible cable returns to its original shape  
Easy to use double-sided key  
Snap lock – with removed key  
Type of key: K

## Intended Use

Securing inexpensive bicycles, prams and other  
Securing the bicycle for a short time in a safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
05FL0100008.06K2ZP	Flex 1000 8K	5902203333709	100 cm	8 mm	black	10 / 60



Gerda® Class



# Flex 1200 8V

<b>Characteristics</b>	<p>Bicycle loop lock – useful both on the road and at home 8 mm braided cable PVC cover protects bicycle from scratches Sliding keyhole plug protects against contamination of the lock Convenient double-sided key easy to use even in the dark Snap lock – with removed key Type of key: V</p>
------------------------	--

<b>Intended Use</b>	<p>Securing inexpensive bicycles, prams and other Securing the bicycle for a short time in a safe place</p>
---------------------	---

<b>Notes</b>	<p>It is recommended to secure the bicycle through the frame and rear wheel It is best to secure the bicycle to a post, railing or other fixed architectural element</p>
--------------	--

<b>Transport</b>	<p>Wrapped on seatpost, handlebars or transported in pannier</p>
------------------	--

Index	Name	EAN	Length	Diameter	Colour	Packaging
05FL0120008.06V2XP	Flex 1200 8V	5902203333648	120 cm	8 mm	black	10 / 60

Gerda® Class



# Flex 1200 10V

## Characteristics

Bicycle loop lock – useful both on the road and at home  
10 mm braided cable  
PVC cover protects bicycle from scratches  
Sliding keyhole plug protects against contamination of the lock  
Convenient double-sided key easy to use even in the dark  
Snap lock – with removed key  
Type of key: V

## Intended Use

Securing medium-priced bicycles, prams and other  
Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
05FL0120010.06V2XP	Flex 1200 10V	5902203333655	120 cm	10 mm	black	10 / 60



Gerda® Class



# Flex 1200 12V

## Characteristics

Bicycle loop lock – useful both on the road and at home  
 12 mm braided cable  
 PVC cover protects bicycle from scratches  
 Sliding keyhole plug protects against contamination of the lock  
 Convenient double-sided key  
 Snap lock – with removed key  
 Type of key: V

## Intended Use

Securing medium-priced bicycles, prams and other  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

On the carrying handle - on the frame, handlebars or seatpost

Index	Name	EAN	Length	Diameter	Colour	Packaging
05FL0120012.06V2XP	Flex 1200 12V	5902203333662	120 cm	12 mm	black	10 / 60

Gerda® Class



# Flex 1200 8S

**Characteristics**

- Bicycle loop lock with carrying handle – useful both on the road and at home
- 8 mm braided cable
- PVC cover protects bicycle from scratches
- Sliding keyhole plug protects against contamination of the lock
- Single-sided key for 5-lever lock
- Snap lock – with removed key
- Carrying handle included
- Type of key: S

**Intended Use**

- Securing inexpensive bicycles, prams and other
- Securing the bicycle for a longer time in a reasonably safe place

**Notes**

- It is recommended to secure the bicycle through the frame and rear wheel
- It is best to secure the bicycle to a post, railing or other fixed architectural element

**Transport**

- On the carrying handle – on the frame, handlebars or seatpost

Index	Name	EAN	Length	Diameter	Colour	Packaging
0SFLU120008.06S2YP	Flex 1200 8S	5902203333679	120 cm	8 mm	black	10 / 60



Gerda® Class



# Flex 1200 10S

<b>Characteristics</b>	<p>Bicycle loop lock with carrying handle – useful both on the road and at home</p> <p>10 mm braided cable</p> <p>PVC cover protects bicycle from scratches</p> <p>Sliding keyhole plug protects against contamination of the lock</p> <p>Single-sided key for 5-lever lock</p> <p>Snap lock – with removed key</p> <p>Carrying handle included</p> <p>Type of key: S</p>
------------------------	---

<b>Intended Use</b>	<p>Securing medium-priced bicycles, prams and other</p> <p>Securing the vehicle for a longer time in a reasonably safe place</p>
---------------------	--

<b>Notes</b>	<p>It is recommended to secure the bicycle through the frame and rear wheel</p> <p>It is best to secure the bicycle to a post, railing or other fixed architectural element</p>
--------------	---

<b>Transport</b>	On the carrying handle – on the frame, handlebars or seatpost
------------------	---

Index	Name	EAN	Length	Diameter	Colour	Packaging
0SFLU120010.06S2YP	Flex 1200 10S	5902203333686	120 cm	10 mm	black	10 / 60



# Flex 1500 8T / 10T / 12T

## Characteristics

- Bicycle loop lock – useful both on the road and at home
- 8, 10 or 12 mm braided cable
- PVC cover protects bicycle from scratches
- Sliding keyhole plug protects against contamination of the lock
- Convenient double-sided key easy to use even in the dark
- Snap lock – with removed key
- Carrying handle included
- Type of key: T

## Intended Use

- Securing medium-priced bicycles, prams and other
- Securing the bicycle for a longer time in a reasonably safe place

## Notes

- It is recommended to secure the bicycle through the frame and rear wheel
- It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

- On the carrying handle – on the frame, handlebars or seatpost

Index	Name	EAN	Length	Diameter	Colour	Packaging
0SFL0150008.06T2XP	Flex 1500 8T	5902203365014	150 cm	8 mm	black	10 / 60
0SFL0150010.06T2XP	Flex 1500 10T	5902203365038	150 cm	10 mm	black	10 / 40
0SFL0150012.06T2XP	Flex 1500 12T	5902203365052	150 cm	12 mm	black	10 / 40



Gerda® Class



Gerda® Class



# Flex 650 10T / 12T

## Characteristics

Bicycle loop lock – useful both on the road and at home  
 10 or 12 mm braided cable  
 PVC cover protects bicycle from scratches  
 Sliding keyhole plug protects against contamination of the lock  
 Convenient double-sided key easy to use even in the dark  
 Snap lock – with removed key  
 Type of key: T

## Intended Use

Securing medium-priced bicycles, prams and other  
 Securing the bicycle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
0SFL0065010.06T2XP	Flex 650 10T	5902203365021	65 cm	10 mm	black	10 / 60
0SFL0065012.06T2XP	Flex 650 12T	5902203365045	65 cm	12 mm	black	10 / 60

Gerda® Class



# Flex 1000 10K

## Characteristics

Bicycle loop lock – useful both on the road and at home  
10 mm braided cable  
PVC cover protects bicycle from scratches  
Flexible cable returns to its original shape  
Easy to use double-sided key  
Snap lock – with removed key  
Type of key: K

## Intended Use

Securing medium-priced bicycles, prams and other  
Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
05FL0100010.06K2ZP	Flex 1000 10K	5902203333716	100 cm	10 mm	black	10 / 60



Gerda® Class



# Baby Combo Flex 650 8C

## Characteristics

Bicycle loop lock for children – perfect for first bicycle  
 8 mm braided cable  
 PVC cover protects bicycle from scratches  
 Lockable with a 4-digit code that can be set individually  
 Convenient combination lock, allowing you not to carry a key

## Intended Use

Securing inexpensive bicycles, prams and other  
 Securing the bicycle for a short time in a safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSKF0065008.MXCOXP	Baby Combo Flex 650 8C	5902203365007	65 cm	8 mm	colour mix	10 / 60

Gerda® Class



# Kombo Flex 1000 8C

## Characteristics

Bicycle loop lock with combination lock – useful both on the road and at home  
8 mm braided cable  
PVC cover protects bicycle from scratches  
Lockable with a 4-digit code that can be set individually  
Convenient combination lock, allowing you not to carry a key

## Intended Use

Securing inexpensive bicycles, prams and other  
Securing the bicycle for a short time in a safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSKF0100008.06C0XP	Combo Flex 1000 8C	5902203333730	100 cm	8 mm	black	10 / 60



Gerda® Class



# Kombo Flex 1000 10C

<b>Characteristics</b>	<p>Bicycle loop lock with combination lock – useful both on the road and at home</p> <p>10 mm braided cable</p> <p>PVC cover protects bicycle from scratches</p> <p>Lockable with a 4-digit code that can be set individually</p> <p>Convenient combination lock, allowing you not to carry a key</p>
------------------------	---

<b>Intended Use</b>	<p>Securing medium-priced bicycles, prams and other</p> <p>Securing the vehicle for a longer time in a reasonably safe place</p>
---------------------	--

<b>Notes</b>	<p>It is recommended to secure the bicycle through the frame and rear wheel</p> <p>It is best to secure the bicycle to a post, railing or other fixed architectural element</p>
--------------	---

<b>Transport</b>	Wrapped on seatpost, handlebars or transported in pannier
------------------	---

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSKF0100010.06C0XP	Combo Flex 1000 10C	5902203333747	100 cm	10 mm	black	10 / 60

Gerda® Class



# Kombo Flex 1200 8C

## Characteristics

Bicycle loop lock with combination lock and carrying handle – useful both on the road and at home  
 8 mm braided cable PVC cover protects bicycle from scratches  
 Lockable with a 4-digit code that can be set individually  
 Convenient combination lock, allowing you not to carry a key  
 Carrying handle included

## Intended Use

Securing inexpensive bicycles, prams and other  
 Securing the bicycle for a short time in a safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

On the carrying handle – on the frame, handlebars or seatpost

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSKF0120008.06C0XP	Combo Flex 1200 8C	5902203333754	120 cm	8 mm	black	10 / 60



Gerda® Class



# Kombo Flex 1200 10C

## Characteristics

Bicycle loop lock with combination lock and carrying handle – useful both on the road and at home

10 mm braided cable PVC cover protects bicycle from scratches

Lockable with a 4-digit code that can be set individually

Convenient combination lock, allowing you not to carry a key

Carrying handle included

## Intended Use

Securing medium-priced bicycles, prams and other

Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel

It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

On the carrying handle – on the frame, handlebars or seatpost

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSKF0120010.06C0XP	Combo Flex 1200 10C	5902203333761	120 cm	10 mm	black	10 / 60

Gerda® Class



# Fold 820W

## Characteristics

- Length 95 cm – combining comfort and safety
- Six 7 mm steel panels on sturdy joints
- PVC cover protects bicycle from scratches
- Very small size when folded
- Convenient double-sided key easy to use even in the dark
- Lockable with a key
- Carrying case included
- Type of key: W

## Intended Use

- Securing expensive bicycles
- Securing the vehicle for a longer time in a reasonably safe place

## Notes

- It is recommended to secure the bicycle through the frame and rear wheel
- It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

- Fixed with cable ties to the frame or with screws in place for the water bottle

Index	Name	EAN	Length	Diameter	Colour	Packaging
05F00082000.06W2ZP	Fold 820W	5902203333631	95 cm	7 mm	black and white	6 / 12



Gerda® Class



# Fold 840V Black

## Characteristics

- Length 84 cm – easy to lock
- Six 8 mm steel panels on sturdy joints
- PVC cover protects bicycle from scratches
- Very small size when folded
- Convenient double-sided key easy to use even in the dark
- Carrying case included
- Type of key: V

## Intended Use

- Securing expensive bicycles
- Securing the vehicle for a longer time in a reasonably safe place

## Notes

- It is recommended to secure the bicycle through the frame and rear wheel
- It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

- Carrying case attached using tape to the frame or using screws in place for the water bottle

Index	Name	EAN	Length	Diameter	Colour	Packaging
05F00084000.06V2XP	Fold 840V Black	5902203333617	84 cm	8 mm	black	6 / 12

Gerda® Class



# Fold 840V Yellow

## Characteristics

- Length 84 cm – easy to lock
- Six 8 mm steel panels on sturdy joints
- PVC cover protects bicycle from scratches
- Very small size when folded
- Convenient double-sided key easy to use even in the dark
- Carrying case included
- Type of key: V

## Intended Use

- Securing expensive bicycles
- Securing the vehicle for a longer time in a reasonably safe place

## Notes

- It is recommended to secure the bicycle through the frame and rear wheel
- It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

- Carrying case attached using tape to the frame or using screws in place for the water bottle

Index	Name	EAN	Length	Diameter	Colour	Packaging
05F00084000.06V2YP	Fold 840V Yellow	5902203333624	84 cm	8 mm	black and yellow	6 / 12



Gerda® Class



# Fold 840W SE Black

## Characteristics

Length 84 cm – easy to lock  
 Six 8 mm steel panels on sturdy joints  
 PVC cover protects bicycle from scratches  
 Very small size when folded  
 Convenient double-sided key easy to use even in the dark  
 Lockable with a key  
 Carrying case included  
 Type of key: W

## Intended Use

Securing expensive bicycles  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Carrying case attached using tape to the frame or using screws in place for the water bottle

Index	Name	EAN	Length	Diameter	Colour	Packaging
05F00084000.06W2YP	Fold 840 W SE Black	5902203365113	84 cm	8 mm	black	6 / 12

Gerda® Class



# Fold Lite 950V

## Characteristics

- Length 95 cm – combining comfort and safety
- Eight 7 mm steel panels on sturdy joints
- PVC cover protects bicycle from scratches
- Very small size when folded
- Convenient double-sided key easy to use even in the dark
- Lockable with a key
- Carrying case included
- Type of key: V

## Intended Use

- Securing medium-priced bicycles
- Securing the vehicle for a longer time in a reasonably safe place

## Notes

- It is recommended to secure the bicycle through the frame and rear wheel
- It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

- Carrying case attached using tape to the frame or using screws in place for the water bottle

Index	Name	EAN	Length	Diameter	Colour	Packaging
0SF00095000.MXV2YP	Fold Lite 950V	5902203365106	95 cm	7 mm	colour mix	6 / 12



Gerda® Class



# Land 14

<b>Characteristics</b>	<p>Wall/floor anchor with 14 mm diameter hardened hasp</p> <p>Perfect solution for garages and underground car parks</p> <p>Housing made of durable plastic</p> <p>Foldable eye</p> <p>Strong bolts with steel bolts for concrete together with ball plugs guarantee an extremely solid connection to the substrate - floor or wall</p> <p>Works perfectly with a solid chain or folding lock</p>
------------------------	---

<b>Intended Use</b>	<p>Securing expensive vehicles</p> <p>Securing a vehicle in a garage or in front of buildings</p>
---------------------	---

<b>Notes</b>	<p>It is recommended to secure the vehicle through the frame and rear wheel</p> <p>It is best to secure the bicycle to a post, railing or other fixed architectural element</p>
--------------	---

<b>Transport</b>	Perfect for underground garages for securing bicycles, scooters and motorbikes
------------------	--

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSLA0000014.06000B	Land 14	5902203333556	-	14 mm	black	4 / 8

Gerda® Class



# Ultra 245 165S

## Characteristics

U-Lock for locking and/or securing bicycles  
 Steel round 14 mm shackle bolted on both sides High weather resistance  
 PVC cover protects bicycle from scratches  
 Sliding keyhole plug protects against contamination of the lock  
 Single-sided key for 5-lever lock  
 Lockable with a key  
 Carrying handle included  
 Type of key: S

## Intended Use

Securing expensive bicycles  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

On the carrying handle – on the frame or in the pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSUL0245165.06S2XP	Ultra 245/165S	5902203333778	24,5 x 16,5 cm	14 mm	black and blue	6 / 12



Gerda® Class



# Ultra 320 165W

## Characteristics

U-Lock – handy and secure solution  
 Steel round 14 mm shackle bolted on both sides  
 PVC cover protects bicycle from scratches  
 Weather resistant  
 Sliding keyhole plug protects against contamination of the lock  
 Convenient double-sided key easy to use even in the dark  
 Carrying handle included  
 Type of key: W

## Intended Use

Securing expensive bicycles  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

On the carrying handle – on the frame or in the pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSUL0320165.06W2XP	Ultra 320 165W	5902203365120	32 x 16,5 cm	14 mm	black and blue	6 / 12

Gerda® Class



# Ultra Plus 320 165L

## Characteristics

U-Lock – handy and secure solution  
 Steel round 14 mm shackle bolted on both sides  
 PVC cover protects bicycle from scratches  
 Weather resistant Cylinder with disc mechanism  
 Sliding keyhole plug protects against contamination of the lock  
 Convenient double-sided key easy to use even in the dark  
 Lockable with a key  
 Carrying handle included  
 Type of key: L

## Intended Use

Securing expensive bicycles  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

On the carrying handle – on the frame or in the pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSUL0320165.06L2XP	Ultra Plus 320/165L	5902203365137	32 x 16,5 cm	14 mm	black and blue	6 / 12



Gerda® Class



# Armored Flex 1500/22 RED

<b>Characteristics</b>	<p>Reinforced cable – very strong and relatively lightweight twisted steel cable enclosed in armouring</p> <p>22 mm diameter steel rings protect the inner steel braid</p> <p>Textile cover protects the bike from scratches</p> <p>Lightweight, long and secure lock</p> <p>Convenient double-sided key easy to use even in the dark</p> <p>Lockable with a key</p> <p>Type of key: N</p>
------------------------	--

<b>Intended Use</b>	<p>Securing medium-priced bicycles</p> <p>Securing the bicycle for a longer time in a reasonably safe place</p>
---------------------	---

<b>Notes</b>	<p>It is recommended to secure the bicycle through the frame and rear wheel</p> <p>It is best to secure the bicycle to a post, railing or other fixed architectural element</p>
--------------	---

<b>Transport</b>	<p>Wrapped on seatpost, handlebars or transported in pannier</p>
------------------	--

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSFA0150022.14N2ZP	Armored Flex 1500/22 RED	5902203365144	150 cm	22 mm	red	6 / 12

Gerda® Class



# Armored Flex 1500/22 BLUE

## Characteristics

Reinforced cable – very strong and relatively lightweight twisted steel cable enclosed in armouring

22 mm diameter steel rings protect the inner steel braid

Textile cover protects the bike from scratches

Lightweight, long and secure lock

Convenient double-sided key easy to use even in the dark

Lockable with a key

Type of key: S

## Intended Use

Securing medium-priced bicycles

Securing the bicycle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel

It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSFA0150022.23N2ZP	Armored Flex 1500/22 BLUE	5902203365151	150 cm	22 mm	blue	6 / 12



# Chain 1200/8 1200/10 ROUND

**Characteristics** Chain for use with padlock  
8 mm or 10 mm round links  
Textile cover protects from scratches

**Intended Use** Used with padlock – securing bicycles, scooters and other

**Notes** It is recommended to secure the bicycle through the frame and rear wheel  
It is best to secure the bicycle to a post, railing or other fixed architectural element

**Transport** Wrapped on seatpost, handlebars or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSL00120008.06000P	Chain 1200/8 ROUND	5902203365212	120 cm	8 mm	black	6
OSL00120010.06000P	Chain 1200/10 ROUND	5902203365236	120 cm	10 mm	black	4



# Chain 1200/8 1200/10 SQUARE

**Characteristics** Chain for use with padlock  
8 mm or 10 mm quare links  
Textile cover protects from scratches

**Intended Use** Used with padlock – securing bicycles, scooters and other

**Notes** It is recommended to secure the bicycle through the frame and rear wheel  
It is best to secure the bicycle to a post, railing or other fixed architectural element

**Transport** Wrapped on seatpost or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSL00120P08.06000P	Chain 1200/8 SQUARE	5902203365229	120 cm	8 mm	black	6
OSL00120P10.06000P	Chain 1200/10 SQUARE	5902203365243	120 cm	10 mm	black	4



Gerda® Class



# Contra Line 1200 6V

## Characteristics

Bicycle chain – classic solution for securing bicycles

6 mm round steel links

Textile cover protects the bicycle from scratches

Keyhole plug protects against contamination of the lock Snap lock – with removed key

Type of key: V

## Intended Use

Securing bicycles, scooters and other

## Notes

It is recommended to secure the bicycle through the frame and rear wheel

It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCN0120006.06V2YP	Contra LINE 1200 6	5902203376652	120 cm	6 mm	black	10



Gerda® Class



# Contra Solid 900 8,3W

## Characteristics

Bicycle chain lock – classic solution for securing bicycles  
 Hardened 8.3 mm square links  
 Textile cover protects the bicycle from scratches  
 Convenient double-sided key easy to use even in the dark  
 Type of key: W

## Intended Use

Securing expensive bicycles  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

Wrapped on seatpost or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCS0090008.23W2YP	Contra SOLID 900 8,3	5902203376676	90 cm	8,3 mm	blue	6



Gerda® Class



# Contra Line Combo 900 6C

## Characteristics

- Chain lock with combination lock
- Convenient opening and closing without the need for a key
- 4-digit code that can be set individually
- 6 mm round steel links
- Lightweight and secure chain
- Cover made of flexible and durable material protects the bicycle from scratches

## Intended Use

- Securing inexpensive bicycles, prams and other
- Securing the bicycle for a short time in a safe place

## Notes

- It is recommended to secure the bicycle through the frame and rear wheel
- It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

- Wrapped on seatpost or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSCK00900K6.06C0XP	Contra Line COMBO 900 6C	5902203376690	90 cm	6 mm	black	6 / 12



Gerda® Class



# Flex Max 1800 12T

**Characteristics**

- Universal and long (180 cm) bicycle cable lock with carrying handle
- Possibility of locking up to 3 bicycles together
- 12 mm braided cable
- PVC cover protects bicycle from scratches
- Flexible cable returns to its original shape
- Easy to use double-sided key
- Snap lock – with removed key
- Keyhole plug protects against contamination of the lock Type of key: T

**Intended Use**

Securing bicycles, scooters and other

**Notes**

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

**Transport**

Wrapped on seatpost or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
0SFL0180012.06T2XP	Flex MAX 1800 12	5902203376720	180 cm	12 mm	black	10 / 40



# Protector 1800 12

**Characteristics** Universal, long (180 cm) steel cable useful for travel, home and garden  
 12 mm braided cable  
 PVC cover protects bicycle from scratches  
 Used with padlock

**Intended Use** Securing medium-priced bicycles, prams and other  
 Securing the vehicle for a longer time in a reasonably safe place using padlock

**Notes** It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

**Transport** Wrapped on seatpost or transported in pannier

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSP00180012.06000P	Protector 1800/12	5902203376751	180 cm	12 mm	black	6 / 36



Gerda® Class



# Ultra Combo 245 153C

## Characteristics

U-LOCK with combination lock with carrying handle included  
 Convenient opening and closing without the need for a key  
 4-digit code that can be set individually  
 Steel 14 mm shackle bolted on both sides  
 PVC cover protects bicycle from scratches

## Intended Use

Securing expensive bicycles  
 Securing the vehicle for a longer time in a reasonably safe place

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

## Transport

On the carrying handle

Index	Name	EAN	Length	Diameter	Colour	Packaging
OSUL0245153.06COXP	Ultra COMBO 245 153C	5902203376782	245x153 mm	14 mm	black	10



3x



Gerda® Class



# HSS 531

## Characteristics

Solid 50 mm wide body  
 GERDA CL disc locking mechanism  
 High security class (4 in accordance with EN 12320:2013)  
 Resistance to twisting  
 Resistance to cutting, hasp bolted on both sides  
 Thick, hardened steel hasp  
 3 CL6 keys included

## Intended Use

Used with chain lock – securing bicycles, scooters and other

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

Index	Name	EAN	Hasp thickness	Body colour	Packaging
OKHP0005600.90630B	HSS 531 Hasp padlock	5902203196199	10 mm	satın nickel	15

Gerda® Class



3x



# Navy Club KCNP 50

## Characteristics

- Made of highly weather-resistant materials
- High corrosion resistance
- Brass stainless steel body, galvanised, colour: glossy chrome, width: 50 mm
- Increased corrosion resistance – drain hole
- Stainless steel hasp
- Hasp bolted on both sides
- Snap lock
- 3 keys included

## Intended Use

Used with chain lock – securing bicycles, scooters and other

## Notes

It is recommended to secure the bicycle through the frame and rear wheel  
 It is best to secure the bicycle to a post, railing or other fixed architectural element

Index	Name	EAN	Hasp thickness	Body colour	Packaging
0KCPONC5000.99230B	NAVY CLUB KCNP 50 Stainless steel chrome plated hasp padlock	5902203302842	8 mm	glossy chrome	6 / 48



3x



Gerda® Class



# Aqua Modus KSM 45 A

<b>Characteristics</b>	<p>45 mm body made of hardened steel with cover for protection against harsh weather conditions</p> <p>Hardened steel hasp</p> <p>Snap lock</p> <p>Increased resistance to dust, dirt and weather</p> <p>3 keys included</p>
------------------------	--

<b>Intended Use</b>	Used with chain lock – securing bicycles, scooters and other
---------------------	--

<b>Notes</b>	<p>It is recommended to secure the bicycle through the frame and rear wheel</p> <p>It is best to secure the bicycle to a post, railing or other fixed architectural element</p>
--------------	---

Index	Name	EAN	Hasp thickness	Body colour	Packaging
OKPPQQM4500.56230B	AQUA MODUS KSM S45A Steel hasp padlock with protective cover	5902203179253	8,5 mm	navy blue	6 / 72

Gerda® Class



3x



## Brass Line KMZ S50

**Characteristics**

- 50 mm body made of solid brass
- Hardened steel hasp
- Hasp bolted on both sides
- Increased corrosion resistance – drain hole
- 3 keys included

**Intended Use**      Used with chain lock – securing bicycles, scooters and other

**Notes**

- It is recommended to secure the bicycle through the frame and rear wheel
- It is best to secure the bicycle to a post, railing or other fixed architectural element

Index	Name	EAN	Hasp thickness	Body colour	Packaging
0KMP0005000.98230B	BRASS LINE KMZ S5010A brass hasp padlock	5903373005359	8 mm	brass	6 / 60



# Maintenance product

## Characteristics

The product for the maintenance of bicycle locks, locks and cylinders allows for the cleaning and regular maintenance of the locking mechanism, which contributes to its long life and trouble-free operation

How to use – inject a small amount into the opening of the cylinder, lock mechanism or padlock

Available in 3 sizes: 25 ml, 100 ml and 400 ml

## Intended Use

The product cleans, lubricates, removes water, preserves and protects against corrosion all types of locking mechanisms

## Notes

It is recommended to clean and maintain the locking mechanisms of bicycle locks after each use in contact with moisture and dirt

It can also be used to clean, lubricate and maintain the bicycle

Index	Name	EAN	Capacity	Packaging
24.66-0002.0015	Product for the maintenance of cylinders and locks	5907620050215	25 ml	24
24.66-0002.0026	Product for the maintenance of cylinders and locks	5907620050192	100 ml	24
24.66-0002.0027	Product for the maintenance of cylinders and locks	5907620050208	400 ml	12



---

This product catalogue does not constitute an offer within the meaning of the law and is provided for information purposes only.

Gerda Sp. z.o.o., striving to improve the quality of its products and services, reserves the right (without prior notice) to make changes to products which, due to the process of preparing printed material, may not be included in this material.

Despite our efforts to carefully check the information presented, factual or printing errors may occur. The colours presented in the catalogue may differ from the original due to a different colour reproduction method in the printing process.

The owner of the copyright of this catalogue, Gerda logos and graphic elements is Gerda Sp. z o.o. Any unauthorised copying and distribution of this material without prior consent of Gerda Sp. z.o.o. is prohibited.

---

leader in  
**safety technology**

**GERDA**<sup>®</sup>

Gerda Sp. z o.o.  
Sokołów, ul. Sokołowska 49  
05-806 Komorów

[www.gerda.pl](http://www.gerda.pl)